

Revegetation species with indicative demand over coming years

The BushBank Program seeks to support projects that focus on species in demand that are well suited to large-scale habitat restoration. For example, Table 1 lists the species that are likely to be needed by the BushBank program over the coming years and an indication of demand. Other large-scale restoration projects typically require similar species, but this list is not exhaustive and may not cover all parts of Victoria.

Table 1. List of species currently in demand for large-scale restoration projects

Species		Level of demand	Region					
Scientific name	Common name	Low, medium or high	Mallee	North East	Corangamite	Central Vic Uplands	Goldfields	Wimmera
<i>Acacia acanthoclada</i>	Harrow Wattle	Med	Y					
<i>Acacia acinacea</i>	Gold-dust Wattle	High		Y	Y	Y	Y	Y
<i>Acacia brachybotrya</i>	Grey Mulga	High	Y					Y
<i>Acacia colletioides</i>	Wait-a-while	High	Y					
<i>Acacia dealbata</i>	Silver Wattle	Med		Y		Y		
<i>Acacia euthycarpa</i>	Wallowa	Med					Y	Y
<i>Acacia farinosa</i>		Low						Y
<i>Acacia flexifolia</i>	Bent-leaf Wattle	Low		Y				
<i>Acacia genistifolia</i>	Spreading Wattle	High		Y	Y	Y	Y	
<i>Acacia gunnii</i>	Ploughshare Wattle	Low					Y	
<i>Acacia hakeoides</i>	Hakea Wattle	High	Y					
<i>Acacia halliana</i>	Hall's Wattle	High	Y					
<i>Acacia implexa</i>	Lightwood	High		Y	Y	Y	Y	
<i>Acacia ligulata</i>	Small Cooba	High	Y					
<i>Acacia mearnsii</i>	Black Wattle	High			Y	Y		
<i>Acacia melanoxylon</i>	Blackwood	High			Y	Y		
<i>Acacia melvillei</i>	Myall	Low	Y					
<i>Acacia microcarpa</i>	Manna Wattle	Med	Y				Y	

Species		Level of demand	Region					
Scientific name	Common name	Low, medium or high	Mallee	North East	Corangamite	Central Vic Uplands	Goldfields	Wimmera
<i>Acacia montana</i>	Mallee Wattle	Med	Y				Y	
<i>Acacia myrtifolia</i>	Myrtle Wattle	Low						Y
<i>Acacia nyssophylla</i>	Wattle	High	Y					
<i>Acacia oswaldii</i>	Umbrella Wattle	High	Y					
<i>Acacia oxycedrus</i>	Spike Wattle	Low						Y
<i>Acacia paradoxa</i>	Hedge Wattle	High		Y	Y	Y	Y	Y
<i>Acacia pycnantha</i>	Golden Wattle	High		Y	Y	Y	Y	Y
<i>Acacia sclerophylla</i>	Hard-leaf Wattle	Med	Y					
<i>Acacia verniciflua</i>	Varnish Wattle	High		Y		Y		
<i>Acacia verticillata</i>	Prickly Moses	Low				Y		
<i>Acacia wilhelmiana</i>	Dwarf Nealie	High	Y					
<i>Alectryon oleifolius ssp canescens</i>	Cattle Bush / Western Rosewood	Med	Y					
<i>Allocasaurina luehmannii</i>	Buloke	High	Y	Y	Y		Y	Y
<i>Allocasaurina verticillata</i>	Drooping Sheoak	High		Y	Y	Y	Y	Y
<i>Allocasuarina mackliniana</i>		Low						Y
<i>Allocasuarina muelleriana</i>	Slaty Sheoak	Low						Y
<i>Atriplex acutibractea subsp. acutibractea</i>	Saltbush	Low	Y					
<i>Banksia marginata</i>	Silver Banksia	High		Y	Y	Y		
<i>Bursaria spinosa</i>	Sweet Bursaria	High		Y	Y	Y	Y	
<i>Callistemon rugulosus</i>	Scarlet Bottlebrush	Low						Y
<i>Callistemon sieberi</i>	River Bottlebrush	Low		Y				
<i>Callitris gracilis</i>	Slender Cypress-pine	High	Y					
<i>Callitris gracilis ssp. murrayensis</i>	Slender Cypress-pine	High	Y					Y
<i>Callitris rhomboidea</i>	Oyster Bay Cypress-pine	Low						Y
<i>Callitris verrucosa</i>	Scrub Cypress-pine	High	Y					

Species		Level of demand	Region					
Scientific name	Common name	Low, medium or high	Mallee	North East	Corangamite	Central Vic Uplands	Goldfields	Wimmera
<i>Calytrix tetragona</i>	Common Fringe-myrtle	Low					Y	
<i>Cassinia aculeata</i>	Common Cassinia	Med			Y	Y		
<i>Chenopodium curvispicatum</i>	Cottony Saltbush	Low	Y					
<i>Codonocarpus cotinifolius</i>		Low	Y					
<i>Daviesia leptophylla</i>	Narrow-leaf Bitter-pea	Med			Y	Y	Y	
<i>Daviesia ulicifolia sub ruscifolia</i>	Gorse Bitter-pea	Med		Y			Y	
<i>Daviesia ulicifolia</i> subsp. <i>ulicifolia</i>		Low					Y	
<i>Dillwynia cinerascens s.l.</i>	Grey Parrot-pea	Low			Y			
<i>Dodonaea bursariifolia</i>	Small Hop-bush	Low	Y					
<i>Dodonaea viscosa</i>	Hop-bush	Low				Y		
<i>Dodonaea viscosa</i> ssp. <i>spatulata</i>	Sticky Hopbush	Low						Y
<i>Dodonaea viscosa sub cuneata</i>	Wedge-leaf Hopbush	Med			Y		Y	
<i>Dodonaea viscosa subsp. angustissima</i>	Slender Hop-bush	High	Y					
<i>Einadia nutans</i>	Nodding Saltbush	Low	Y					
<i>Enchylaena tomentosa</i> var. <i>tomentosa</i>	Ruby Saltbush	Low	Y					
<i>Eucalyptus albens</i>	White Box	High		Y			Y	
<i>Eucalyptus arenacea</i>	Dune Stringybark	Med						Y
<i>Eucalyptus baxteri</i>	Brown Stringybark	Med						Y
<i>Eucalyptus calycogona subsp. trachybasis</i>	Square-fruited Mallee	Med	Y					
<i>Eucalyptus camaldulensis</i>	River Red Gum	High			Y	Y		
<i>Eucalyptus costata</i>	Yellow Mallee	High	Y					
<i>Eucalyptus dives</i>	Broad-leaved Peppermint	Med				Y		
<i>Eucalyptus dumosa</i>	Dumosa Mallee	High	Y					

Species		Level of demand	Region					
Scientific name	Common name	Low, medium or high	Mallee	North East	Corangamite	Central Vic Uplands	Goldfields	Wimmera
<i>Eucalyptus goniocalyx</i>	Long leaf Box	High		Y		Y	Y	
<i>Eucalyptus goniocalyx s.l.</i>	Bundy	Med			Y			
<i>Eucalyptus gracilis</i>	Yorrell	High	Y					
<i>Eucalyptus leptophylla</i>	Slender-leaf Mallee	High	Y					
<i>Eucalyptus leucoxylon</i>	Yellow Gum	High			Y		Y	Y
<i>Eucalyptus macrorhyncha</i>	Red Stringybark	High			Y	Y		
<i>Eucalyptus melliodora</i>	Yellow Box	High		Y	Y	Y	Y	
<i>Eucalyptus microcarpa</i>	Grey Box	High		Y	Y	Y	Y	Y
<i>Eucalyptus obliqua</i>	Messmate	High			Y	Y		
<i>Eucalyptus oleosa subsp. oleosa</i>	Oil Mallee	Med	Y					
<i>Eucalyptus ovata</i>	Swamp Gum	High			Y	Y		
<i>Eucalyptus polyanthemus</i>	Red Box	High		Y		Y	Y	
<i>Eucalyptus porosa</i>	Black Mallee-box	Med	Y					
<i>Eucalyptus radiata</i>	Narrow-leaf Peppermint	Med				Y		
<i>Eucalyptus rubida</i>	Candlebark	Med				Y		
<i>Eucalyptus socialis</i>	Grey Mallee	High	Y					
<i>Eucalyptus tricarpa</i>	Red Ironbark	Med					Y	
<i>Eucalyptus viminalis</i>	Manna Gum	Med				Y		
<i>Eucalyptus viminalis ssp. cygentensis</i>	Rough-barked Manna Gum	Med						Y
<i>Euclayptus viridis</i>	Green Mallee	Med		Y				
<i>Eutaxia microphylla</i>	Common Eutaxia	Med		Y			Y	Y
<i>Hakea decurrens</i>	Bushy Needlewood	Low					Y	
<i>Hakea leucoptera subsp. leucoptera</i>	Needlebush	Low	Y					
<i>Hakea tephrosperma</i>	Hooked Needlewood	Low	Y					
<i>Hysterobaeckea behrii</i>	Broom Baeckea	Low	Y					

Species		Level of demand	Region					
Scientific name	Common name	Low, medium or high	Mallee	North East	Corangamite	Central Vic Uplands	Goldfields	Wimmera
<i>Indigofera australis</i>	Austral Indigo	Low		Y				
<i>Leptospermum continentale</i>	Prickly Tea-tree	Med			Y	Y		
<i>Leptospermum coriaceum</i>	Green Tea-tree	Low	Y					
<i>Leptospermum lanigerum</i>	Wooly Tea-tree	Low				Y		
<i>Leptospermum/Gaudium myrsinoides</i>	Heath Tea-tree	Low						Y
<i>Maireana appressa</i>	Grey Bluebush	Low	Y					
<i>Maireana georgei</i>	Slit-wing Bluebush	Low	Y					
<i>Maireana oppositifolia</i>		Low	Y					
<i>Maireana pyramidata</i>	Sago Bush	Low	Y					
<i>Maireana radiata</i>	Radiant Bluebush	Low	Y					
<i>Maireana trichoptera</i>		Low	Y					
<i>Maireana turbinata</i>	Satiny Bluebush	Low	Y					
<i>Melaleuca acuminata</i> subsp. <i>acuminata</i>	Mallee Honey-myrtle	Low	Y					
<i>Melaleuca brevifolia</i>	Mallee Honey-myrtle	Low	Y					
<i>Melaleuca lanceolata</i>	Moonah	Med	Y					Y
<i>Melaleuca uncinata</i>	Broombush	Med	Y					Y
<i>Melicytus dentatus</i>	Tree Violet	Med				Y	Y	
<i>Nitraria billardierei</i>	Nitre-bush	Low	Y					
<i>Olearia lepidophylla</i>	Club-moss Daisy-bush	Low	Y					
<i>Olearia pimeleoides</i>	Pimelea Daisy-bush	Low	Y					
<i>Ozothamnus obcordatus</i>	Grey Everlasting	Med		Y		Y	Y	
<i>Pittosporum angustifolium</i>	Weeping Pittosporum	Low	Y					Y
<i>Pultanaea largiflorens</i>		Low					Y	
<i>Pultanaea prostrata</i>	Silky Bush-pea	Low						Y
<i>Rhagodia parabolica</i>	Fragrant Saltbush	Low	Y					
<i>Rhagodia spinescens</i>	Hedge Saltbush	Low	Y					

Species		Level of demand	Region					
Scientific name	Common name	Low, medium or high	Mallee	North East	Corangamite	Central Vic Uplands	Goldfields	Wimmera
<i>Roepera apiculata</i>	Pointed Twin-leaf	Med	Y					
<i>Roepera crenata</i>	Notched Twin-leaf	Low	Y					
<i>Roepera eremaea</i>		Low	Y					
<i>Roepera iodocarpa</i>		Low	Y					
<i>Santalum acuminatum</i>	Sweet Quandong	Low	Y					
<i>Senna artemisioides</i> ssp.		High	Y					
<i>Senna artemisioides</i> subsp. <i>artemisioides</i>		Low	Y					
<i>Senna artemisioides</i> subsp. <i>coriacea</i>	Broad-leaf Desert Cassia	High	Y					
<i>Senna artemisioides</i> subsp. <i>petiolaris</i>	Woody Cassia	Low	Y					

© The State of Victoria Department of Energy, Environment and Climate Action 2025



This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Change (DEECA) logo. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.